Information Systems

CUMULATIVE INDEX FOR VOLUMES 1-9

PERGAMON PRESS

NEW YORK • OXFORD
TORONTO • FRANKFURT • SYDNEY

Inform. Systems Vol. 10, No. 1, pp. 3–8, 1985
Printed in the U.S.A.

0306-4379/85 $3.00 + .00
Pergamon Press Ltd.

CUMULATIVE INDEX

[1] V. de Antonellis, F. de Cindio, G. Degli Antoni and G. Mauri: Use of bipartite graphs as a notation for data bases. *Inform. Systems* **4**, 137–142 (1979).

[2] R. P. van de Riet, M. L. Kersten, W. de Jonge and A. I. Wasserman: Privacy and security in information systems using programming language features. *Inform. Systems* **8**, 95–103 (1983).

[3] M. Adiba and D. Portal: A cooperation system for heterogeneous data base management systems. *Inform. Systems* **3**, 209–215 (1978).

[4] V. S. Alagar: Algorithms for processing partial match queries using word fragments. *Inform. Systems* **5**, 323–332 (1980).

[5] S. Alagic, A. Kulenovic and M. Sarajlic: Structured extension of COBOL for handling data bases. *Inform. Systems* **2**, 1–10 (1976).

[6] K. Amano, M. Chiba, A. Mochida and T. Maeda: An approach toward integrated algorithm information system. *Inform. Systems* **9**, 197–206 (1984).

[7] A Amikan: On the automatic generation of optimal internal schemata. *Inform. Systems* **10**, 37–45 (1984).

[8] R. K. Arora, S. P. Rana and N. K. Jain: Achieving mutual exclusion in a distributed computing environment.*Inform. Systems* **7**, 359–365 (1982).

[9] R. K. Arora and N. K. Sharma: A methodology to solve distributed termination problem. A short note. *Inform. Systems* **8**, 37–39 (1983).

[10] H. Auer, W. Hell, H.-O. Leilich, J. S. Lie, H. Schweppe, S. Seehusen, G. Stiege, W. Teich and H. Ch. Zeidler: RDBM—A relational data base machine. *Inform. Systems* **6**, 91–100 (1981).

[11] Dushan Z. Badal: Semantic integrity enforcement in centralized DBMS and distributed DBMS based on slow geographically distributed and fast (local area) networks. *Inform. Systems* **9**, 121–138 (1984).

[12] O. Barros, V. Perez and A. Holgado: Structured logical design of information systems: A methodology, documentation and experience. *Inform. Systems* **4**, 13–21 (1979).

[13] O. Barros: Management information systems structure, types and integration. *Inform. Systems* **6**, 243–254 (1981).

[14] C. Batini, B. Demo and A. Di Leva: A methodology for conceptual schema design of office data bases. *Inform. Systems* **9**, 251–263 (1984).

[15] C. Batini, M. Lenzerini and G. Santucci: A computer-aided methodology for conceptual data-base design. *Inform. Systems* **7**, 265–280 (1982).

[16] P. A. Bernstein and N. Goodman: The power of inequality semijoins. *Inform. Systems* **6**, 255–265 (1981).

[17] P. A. Bernstein and D. C. Tsichritzis: Allocating storage in hierarchical data bases using traces. *Inform. Systems* **1**, 133–140 (1975).

[18] A. T. Berztiss: Remark on a paper by Ghosh and Lum. *Inform. Systems* **1**, 103 (1975).

[19] H. Biller and E. J. Neuhold: Semantics of data bases: The semantics of data models. *Inform. Systems* **3**, 11–30 (1978).

[20] H. Biller and E. J. Neuhold: Remarks on the comments of B. Langefors on our paper—Semantics of data bases: The semantics of data models *Inform. Systems* **3**, 35–36 (1978).

[21] H. Biller: On the equivalence of data base schemas—a semantic approach to data translation. *Inform. Systems* **4**, 35–47 (1979).

[22] H. M. Blanken: Performance of VIDEBAS in an operational environment. *Inform. Systems* **9**, 19–26 (1984).

[23] A. Bolour and L. J. Dekeyser: Abstractions in temporal information. *Inform. Systems* **8**, 41–49 (1983).

[24] R. H. Bonczek, C. W. Holsapple and A. B. Whinston: Extensions and Corrections for the CODASYL approach to data base management. *Inform. Systems* **2**, 71–77 (1976).

[25] R. H. Bonczek, A. B. Whinston and C. W. Holsapple: The integration of network data base management and problem resolution. *Inform. Systems* **4**, 143–154 (1979).

[26] R. H. Bonczek and A. B. Whinston: A generalized mapping language for network data structures. *Inform. Systems* **2**, 171–185 (1977).

[27] H. Boral, D. J. DeWitt and W. K. Wilkinson: Performance evaluation of four associative disk designs. *Inform. Systems* **7**, 53–64 (1982).

[28] E. Bretholz and D. Rotem: Data base design with the constrained multiple attribute tree. *Inform. Systems* **10**, 47–56 (1984).

[29] R. C. Brigham, R. D. Dutton and J. R. Driscoll: Complexity of a proposed database storage structure. *Inform. Systems* **6**, 47–52 (1981).

[30] M. L. Brodie: The application of data types to database semantic integrity. *Inform. Systems* **5**, 287–296 (1980).

[31] M. L. Brodie: Axiomatic definitions for data model semantics. *Inform. Systems* **7**, 183–197 (1982).

[32] U. Bussolati and G. Martella: Data security management in distributed data bases. *Inform. Systems* **7**, 217–227 (1982).

[33] J. G. Carbonell and R. C. Schank: Comments on the paper of Cherniavsky: "On artificial intelligence and attempts to disprove its existence". *Inform. Systems* **3**, 227–230 (1978).

[34] A. F. Cardenas and J. P. Sagamang: Modeling and analysis of data base organization. The doubly chained tree structure. *Inform. Systems* **1**, 57–67 (1975).

[35] J. Cash, A. B. Whinston and W. D. Haseman: Security for the GPLAN system. *Inform. Systems* **2**, 41–48 (1976).

[36] S. Ceri, G. Pelagatti and G. Bracchi: Structured methodology for designing static and dynamic aspects of data base applications. *Inform. Systems* **6**, 31–46 (1981).

[37] F. Cesarini and G. Soda: Binary tees paging. *Inform. Systems* **7**, 337–344 (1982).

[38] V. S. Cherniavsky: On limitations of artificial intelligence. *Inform. Systems* **5**, 121–126, (1980).

[39] V. Cherniavsky and H.-J. Schneider: On data base systems viewed as programming languages. *Inform. Systems* **3**, 217–225 (1978).

[40] V. Cherniavsky: On algorithmic natural language analysis and understanding. *Inform. Systems* **3**, 5–10 (1978).

[41] S. Christodoulakis: Estimating record selectivities. *Inform. Systems* **8**, 105–115 (1983).

[42] S. Christodoulakis: Estimating block selectivities. *Inform. Systems* **9**, 69–79 (1984).

[43] S. E. Clausen: Optimizing the evaluation of calculus expressions in a relational database system. *Inform. Systems* **5**, 41–54 (1980).

[44] B. G. Claybrook and C.-S. Yang: Efficient algorithms for answering queries with unsorted multilists. *Inform. Systems* **3**, 93–97 (1978).

[45] B. G. Claybrook: Defining database views as data abstractions in EXT-Pascal. *Inform. Systems* **8**, 165–176 (1983).

[46] E. K. Clemons: Rational data base standards: An examination of the 1978 CODASYL DDLC Report. *Inform. Systems* **4**, 235–240 (1979).

[47] H. Coelho: Man-machine communication in Portuguese: A friendly library service system. *Inform. Systems* **7**, 163–181 (1982).

[48] F. Crivellari, F. Dalla Libera, S. Frasson and F. A. Schreiber: Computation of statistical functions in distributed information systems. *Inform. Systems* **8**, 303–308 (1983).

[49] W. B. Croft: A model of cluster searching based on classification. *Inform. Systems* **5**, 189–196 (1980).

[50] CODASYL FORTRAN Data Base Committee: CODASYL FORTRAN data base facility. Version 2.0. *Inform. Systems* **6**, 161–200 (1981).

[51] M. Dabrowski: A general model of distribution of objects in information retrieval systems. *Inform. Systems* **1**, 147–152 (1975).

[52] L. S. Davis and N. Roussopoulos: Approximate pattern matching in a pattern database system. *Inform. Systems* **5**, 107–120 (1980).

[53] U. Dayal and P. A. Bernstein: On the updatability of network views—extending relational view theory to the network model. *Inform. Systems* **7**, 29–46 (1982).

[54] C. Devor and C. R. Carlson: Structural locking mechanisms and their effect on database management system performance. *Inform. Systems* **7**, 345–358 (1982).

[55] P. De, W. D. Hasemann and C. H. Kriebel: An extended model for database implementation. *Inform. Systems* **7**, 139–145 (1982).

[56] P. De, W. D. Haseman and Y. H. So: Four-schema approach: An extended model for database architecture. *Inform. Systems* **6**, 117–124 (1981).

[57] P. De, A. Sen and E. Gudes: A new model for data base abstraction. *Inform. Systems* **7**, 1–12 (1982).

[58] J. Dobosz and B. Szymanski: An implementation of relational interface to an information retrieval system. *Inform. Systems* **6**, 219–228 (1981).

[59] R. Durchholz: Relation representation by tables and by functions. *Inform. Systems* **1**, 91–96 (1975).

[60] C. M. Eastman and S. F. Weiss: Tree structures for high dimensionality nearest neighbor searching. *Inform. Systems* **7**, 115–122 (1982).

[61] W. Effelsberg, T. Haerder and A. Reuter: An experiment in learning DBTG database administration. *Inform. Systems* **5**, 137–148 (1980).

[62] W. Effelsberg and M. V. Mannino: Attribute equivalence in global schema design for heterogeneous distributed databases. *Inform. Systems* **9**, 237–240 (1984).

[63] H. Ehrig and H.-J. Kreowski: Applications of graph grammar theory to consistency, synchronization and scheduling in data base systems. *Inform. Systems* **5**, 225–238 (1980).

[64] E. Erbe, R. Hartwig, H. Lehmann and G. Mueller: Integrated data analysis and management for the problem solving environment. *Inform. Systems* **5**, 273–286 (1980).

[65] H. Erkioe and R. Terkki: Binary search with variable-length keys within an index page. *Inform. Systems* **8**, 137–140 (1983).

[66] Kweku Ewusi-Mensah: Identifying subsystems in information systems analysis. *Inform. Systems* **9**, 181–190 (1984).

[67] E. Falkenberg: Significations: The key to

unify data base management. *Inform. Systems* **2**, 19–28 (1976).

[68] K. Fialkowski and M. Muraszkiewicz: Matrix for retrieval and sorting. *Inform. Systems* **5**, 219–224 (1980).

[69] A. Flory, J. Gunther and J. Kouloumdjian: Data base reorganization by clustering methods. *Inform. Systems* **3**, 59–62 (1978).

[70] A. L. Furtado, C. S. dos Santos and J. M. V. de Castilho: Dynamic modelling of a simple existence constraint. *Inform. Systems* **6**, 73–80 (1981).

[71] A. L. Furtado, K. C. Sevcik and C. S. dos Santos: Permitting updates through views of data bases. *Inform. Systems* **4**, 269–284 (1979).

[72] A. L. Furtado: Formal aspects of the relational model. *Inform. Systems* **3**, 131–140 (1978).

[73] D. Gardy and C. Puech: On the sizes of projections: A generating function approach. *Inform. Systems* **9**, 231–235 (1984).

[74] Janusz Getta and Henryk Rybinski: HOLMES: A deduction augmented database management systems. *Inform. Systems* **9**, 167–179 (1984).

[75] S. P. Ghosh and V. Y. Lum: Analysis of collisions when hashing by division. *Inform. Systems* **1**, 15–22 (1975).

[76] P. Goyal: Coding methods for text string search on compressed databases. *Inform. Systems* **8**, 231–233 (1983).

[77] John Grant: Constraint preserving and lossless database transformations. *Inform. Systems* **9**, 139–146 (1984).

[78] E. Grochia and R. Gillner: Description models and the design of ADP systems: Trends in West Germany. *Inform. Systems* **7**, 147–161 (1982).

[79] G. Guida and M. Somalvico: Interacting in natural language with artificial systems: The DONAU project. *Inform. Systems* **5**, 333–344 (1980).

[80] Theo Haerder: Observations on optimistic concurrency control schemes. *Inform. Systems* **9**, 111–120 (1984).

[81] C. D. Hafner: Incorporating English descriptions into a relational database. *Inform. Systems* **7**, 245–252 (1982).

[82] P. Hammad and J.-M. Raviart: Formulation of choice criterions for file organizations *Inform. Systems* **3**, 123–130 (1978).

[83] H. R. Hartson: Database security-system architectures. *Inform. Systems* **6**, 1–22 (1981).

[84] M. Hatzopoulos and J. G. Kollias: The file allocation problem under dynamic usage. *Inform. Systems* **5**, 197–202 (1980).

[85] M. Hatzopoulos and J. G. Kollias: A dynamic model for the optimal selection of secondary indexes. *Inform. Systems* **8**, 159–164 (1983).

[86] I. T. Hawryszkiewycz: Alternate implementations of the conceptual schema. *Inform. Systems* **5**, 203–218 (1980).

[87] S. J. Hegner and R. A. Maulucci: Set-theoretic foundations of data-structure representation. *Inform. Systems* **3**, 193–201 (1978).

[88] C. Holsapple, S. Shen and A. Whinston: A consulting system for data base design. *Inform. Systems* **7**, 281–296 (1982).

[89] C. W. Holsapple: Data structuring with virtual sets. *Inform. Systems* **6**, 305–315 (1981).

[90] H. K. Jain: A comprehensive model for the storage structure design of CODASYL database. *Inform. Systems* **9**, 217–230 (1984).

[91] M. Jakobsson: Reducing block accesses in inverted files by partial clustering. *Inform. Systems* **5**, 1–6 (1980).

[92] D. A. Jardine and A. R. Reuber: Information semantics and the conceptual schema. *Inform. Systems* **9**, 147–156 (1984).

[93] C. I. Johnston and A. S. Stone: Query optimisation using a data dictionary. *Inform. Systems* **7**, 105–113 (1982).

[94] S. Jones, P. Mason and R. Stamper: LEGOL 2.0: A relational specification language for complex rules. *Inform. Systems* **4**, 293–306 (1979).

[95] S. Jones and P. Mason: Proceduralism and parallelism in specification languages. *Inform. Systems* **5**, 97–106 (1980).

[96] I. Kobayashi: Information and Information Processing Structure. *Inform. Systems* **1**, 39–49 (1975).

[97] I. Kobayashi: Validating database updates. *Inform. Systems* **9**, 1–17 (1984).

[98] J. G. Kollias and M. Hatzopoulos: Allocation of copies of s distinct files in an information network. *Inform. Systems* **6**, 201–204 (1981).

[99] J. G. Kollias: File organizations and their reorganization. *Inform. Systems* **4**, 49–54 (1979).

[100] J. G. Kollias: A heuristic approach for determining the optimal degree of file inversion. *Inform. Systems* **4**, 307–318 (1979).

[101] V. J. Kollias, M. Hatzopoulos and J. G. Kollias: Database maintenance efficiency using differential files. *Inform. Systems* **5**, 319–322 (1980).

[102] J. E. Kottemann and B. R. Konsynski: Complexity assessment: A design and management tool for information system development. *Inform. Systems* **8**, 195–206 (1983).

[103] K. Koymen: An IS&R system based on Turkish language. *Inform. Systems* **7**, 201–207 (1982).

[104] K.-D. Kraegeloh and P. C. Lockemann: Hierarchies of data base languages: An example. *Inform. Systems* **1**, 79–90 (1975).

[105] J. Krause: Natural language access to information systems. An evaluation study of its acceptance by end users. *Inform. Systems* **5**, 297–318 (1980).

[106] M. Lacroix and A. Pirotte: Comparison of database interfaces for application programming. *Inform. Systems* **8**, 217–229 (1983).

[107] H. Laine, O. Maanavilja and E. Peltola: Grammatical data base model. *Inform. Systems* **4**, 257–268 (1979).

[108] C. L. Lam and Z. G. Vranesic: Key compression using segment strings. *Inform. Systems* **6**, 139–146 (1981).

[109] B. Langefors: Information systems theory. *Inform. Systems* **2**, 207–219 (1977).

[110] B. Langefors: Comments on a paper by Biller and Neuhold. Semantics of data bases: The semantics of data models. *Inform. Systems* **3**, 31–34 (1978).

[111] B. Langefors: Infological models and information user views. *Inform. Systems* **5**, 17–32 (1980).

[112] J. A. Larson and W. E. Walden: Comparing insertion schemes used to update 3-2 trees. *Inform. Systems* **4**, 127–136 (1979).

[113] J. A. Larson: Granting and revoking discretionary authority. *Inform. Systems* **8**, 251–261 (1983).

[114] G. Lausen: Formal aspects of optimistic concurrency control in a multiple version database system. *Inform. Systems* **8**, 291–301 (1983).

[115] R. M. Lee: Applications software and organizational change: Issues in the representation of knowledge. *Inform. Systems* **8**, 187–194 (1983).

[116] N. G. Leveson, A. I. Wasserman and D. M. Berry: BASIS: A Behavioral Approach to the Specification of Information Systems. *Inform. Systems* **8**, 15–23 (1983).

[117] J. H. Liou and S. B. Yao: Multi-dimensional clustering for data base organizations. *Inform. Systems* **2**, 187–198 (1977).

[118] W. Lipski, Jr. and W. Marek: Information systems: On queries involving cardinalities. *Inform. Systems* **4**, 241–246 (1979).

[119] E. Lodi, F. Luccio, L. Pagli and N. Santoro: Random access in a list environment. *Inform. Systems* **2**, 11–17 (1976).

[120] G. Loizou and P. Thanisch: Testing a dependency-preserving decomposition for losslessness. *Inform. Systems* **8**, 25–27 (1983).

[121] W. S. Luk: On data dependency structures of relational databases. *Inform. Systems* **6**, 23–30 (1981).

[122] Bengt Lundberg: On correctness of information models. *Inform. Systems* **8**, 87–93 (1983).

[123] M. Lundeberg, G. Goldkuhl and A. Nilsson: A systematic approach to information systems development—I. Introduction. *Inform. Systems* **4**, 1–12 (1979).

[124] M. Lundeberg, G. Goldkuhl and A. Nilsson: A systematic approach to information systems development—II. Problem and data oriented methodology. *Inform. Systems* **4**, 93–118 (1979).

[125] I. A. Macleod: A data base management system for document retrieval applications. *Inform. Systems* **6**, 131–138 (1981).

[126] D. Maio, M. R. Scalas and P. Tiberio: Dynamic non-dense indexes in relational databases. *Inform. Systems* **9**, 207–216 (1984).

[127] F. M. Malvestuto: Theory of random observables in relational data bases. *Inform. Systems* **8**, 281–289 (1983).

[128] P. Materna and J. Pokorny: Applying simple theory of types to data bases. *Inform. Systems* **6**, 283–300 (1981).

[129] H. C. Mayr, P. Lockemann and M. Bever: A framework for application systems engineering. *Inform. Systems* **10**, 97–111 (1984).

[130] D. McLeod: A prescriptive data base interface methodology for end-users. *Inform. Systems* **7**, 253–262 (1982).

[131] A. Meier: A graph grammar approach to geographical databases. *Inform. Systems* **10**, 9–19 (1984).

[132] D. A. Menasce and T. Nakanishi: Optimistic versus pessimistic concurrency control mechanisms in database management systems. *Inform. Systems* **7**, 13–27 (1982).

[133] H. Mendelson: Analysis of linear probing with buckets. *Inform. Systems* **8**, 207–216 (1983).

[134] A. Metaxides: Comments on a paper by Erik K. Clemons. Rational data base standards an examination of the 1978 CODASYL DDLC Report. *Inform. Systems* **4**, 247–250 (1979).

[135] L. B. Methlie: Schema design using a data structure matrix. *Inform. Systems* **3**, 81–91 (1978).

[136] Z. Michalewicz: Compromisability of a statistical database. *Inform. Systems* **6**, 301–304 (1981).

[137] Z. Michalewicz: Inference control in statistical databases with incomplete information. *Inform. Systems* **8**, 177–185 (1983).

[138] J. Minker and J.-M. Nicolas: On recursive axioms in deductive databases. *Inform. Systems* **8**, 1–13 (1983).

[139] J. Minker: Binary relations, matrices and inference developments. *Inform. Systems* **3**, 37–47 (1978).

[140] M. Missikoff and L. Pagli: A note on optimal allocation of files in a symmetric and homogeneous network. *Inform. Systems* **5**, 149–150 (1980).

[141] R. Munz: The WELL system: a multi-user database system based on binary relationships and graph-pattern-matching. *Inform. Systems* **3**, 99–115 (1978).

[142] J. Mylopoulos, A. Borgida, P. Cohen, N. Roussopoulos, J. Tsotsos and H. Wong:

TORUS: a step towards bridging the gap between data bases and the casual user. *Inform. Systems* **2**, 49–64 (1976).

[143] M. Negri and R. Zicari: A storage structure definition language for Codasyl Data Bases. *Inform. Systems* **9**, 59–68 (1984).

[144] E. Neuwirth and L. Reisinger: Dissimilarity and distance coefficients in automation-supported thesauri. *Inform. Systems* **7**, 47–52 (1982).

[145] T. Niemi and K. Jaervelin: A straightforward formalization of the relational model. *Inform. Systems* **10**, 65–76 (1984).

[146] T. Niemi: A seven-tuple representation for hierarchical data structures. *Inform. Systems* **8**, 151–157 (1983).

[147] G. M. Nijssen: Two major flaws in the CODASYL DDL 1973 and proposed corrections. *Inform. Systems* **1**, 115–132 (1975).

[148] H. Noble: The automatic generation of test data for a relational database. *Inform. Systems* **8**, 79–86 (1983).

[149] H. Oftedal and A. Solvberg: Data base design constrained by traffic load estimates. *Inform. Systems* **6**, 267–282 (1981).

[150] Harald Oftedal: Imprecision of specification of information systems parameters: A study of decision point probabilities. *Inform. Systems* **6**, 101–110 (1981).

[151] A. Olive and F. Saltor: Formal verification of information derivability in databases using precedence analysis. *Inform. Systems* **7**, 209–215 (1982).

[152] A. Olive: Input output timing in information systems. *Inform. Systems* **8**, 263–272 (1983).

[153] L. Orman: A familial model of data for a multilevel schema framework. *Inform. Systems* **7**, 367–376 (1982).

[154] L. Pagli: Height-balanced multiway trees. *Inform. Systems* **4**, 227–234 (1979).

[155] G. Pelagatti, P. Paolini and G. Bracchi: Mapping external views to a common data model. *Inform. Systems* **3**, 141–151 (1978).

[156] D. Plateau: A pruned trie to index a sorted file and its evaluation. *Inform. Systems* **9**, 157–165 (1984).

[157] H. Prade: Lipski's approach to incomplete information data bases restated and generalized in the setting of Zadeh's possibility theory. *Inform. Systems* **9**, 27–42 (1984).

[158] A. Putkonen: On the selection of the access path in inverted database organization. *Inform. Systems* **4**, 219–226 (1979).

[159] K. Quitzow and M. R. Klopprogge: Space utilization and access path length in B-trees. *Inform. Systems* **5**, 7–16 (1980).

[160] K. Ramamritham: Correctness of a distributed transaction system. *Inform. Systems* **8**, 309–324 (1983).

[161] G. Richter: Utilization of data access and manipulation in conceptual schema definitions. *Inform. Systems* **6**, 53–72 (1981).

[162] L. L. Rose and M. H. Gotterer: Dynamic file movement in multilevel storage systems. *Inform. Systems* **3**, 117–121 (1978).

[163] H. Rybinski and M. Muraszkiewicz: Reorganizing the files in data base management systems. *Inform. Systems* **7**, 321–328 (1982).

[164] R. Sacks-Davis and K. Ramamohanarao: A two level superimposed coding scheme for partial match retrieval. *Inform. Systems* **8**, 273–280 (1983).

[165] P. Scheuermann and M. Ouksel: Multidimensional B-trees for associative searching in database systems. *Inform. Systems* **7**, 123–137 (1982).

[166] P. Scheuermann: Overlfow handling in hashing tables: A hybrid approach. *Inform. Systems* **4**, 183–194 (1979).

[167] U. Schiel, A. L. Furtado, E. J. Neuhold and M. A. Casanova: Towards multi-level and modular conceptual schema specifications. *Inform. Systems* **9**, 43–57 (1984).

[168] M. Schkolnick: The optimal selection of secondary indices for files. *Inform. Systems* **1**, 141–146 (1975).

[169] G. Schlageter: Access synchronization and deadlock-analysis in database systems: An implementation-oriented approach. *Inform. Systems* **1**, 97–102 (1975).

[170] G. M. Schneider and E. J. Desautels: Creation of a file translation language for networks. *Inform. Systems* **1**, 23–31 (1975).

[171] H.-J. Schneider: Are intelligent information systems ever achievable? Inviting a discussion. *Inform. Systems* **3**, 1–3 (1978).

[172] L. K. Schubert: Comments on Cherniavsky's paper "On algorithmic natural language analysis and understanding". On Cherniavsky's man/machine distinction. *Inform. Systems* **4**, 57–59 (1979).

[173] M. E. Senko: Information systems: records, relations, sets, entities, and things. *Inform. Systems* **1**, 3–13 (1975).

[174] M. E. Senko: Obituary 1931–78, *Inform. Systems* **4**, 181–182 (1979).

[175] M. E. Senko: A query-maintenance language for the Data Independent Accessing Model II. *Inform. Systems* **5**, 257–272 (1980).

[176] A. Sernadas: Temporal aspects of logical procedure definition. *Inform. Systems* **5**, 167–188 (1980).

[177] D. G. Severance: A parametric model of alternative file structures. *Inform. Systems* **1**, 51–55 (1975).

[178] D. G. Severance: A practitioner's guide to data base compression. Tutorial. *Inform. Systems* **8**, 51–62 (1983).

[179] K. D. Sharma and Y. K. Sharma: An access

control facility for relational data base systems. *Inform. Systems* **5**, 33–40 (1980).

[180] S. Shen: Design of a virtual database. *Inform. Systems* **10**, 27–35 (1984).

[181] B. Shneiderman: Reduced combined indexes for efficient multiple attribute retrieval. *Inform. Systems* **2**, 149–154 (1977).

[182] B. Shneiderman: A note on human factors issues of natural language interaction with database systems. *Inform. Systems* **6**, 125–130 (1981).

[183] J. Slonim, L. J. MacRae, R. A. McBride, F. J. Maryanski, E. A. Unger and P. S. Fisher: A throughput model: sequential vs concurrent processing. *Inform. Systems* **7**, 65–83 (1982).

[184] R. A. Stachowitz: A formal framework for describing and classifying semantic data models. *Inform. Systems* **10**, 77–96 (1984).

[185] L. E. Stanfel and J. Y. Chen: Letter to the Editor—A counter-example to a clustering heuristic. *Inform. Systems* **6**, 229–230 (1981).

[186] L. E. Stanfel: Optimal tree lists for information storage and retrieval. *Inform. Systems* **2**, 65–70 (1976).

[187] L. E. Stanfel: A unimodality property of optimal exhaustive prefix codes and retrieval trees over alphabets of varying size. *Inform. Systems* **2**, 199–205 (1977).

[188] L. E. Stanfel: Experiments with a very efficient heuristic for clustering problems. *Inform. Systems* **4**, 285–292 (1979).

[189] F. Steyer: A uniform formal description of data base management systems. *Inform. Systems* **5**, 127–136 (1980).

[190] W. Storz: Process model and resource management in a distributed database. *Inform. Systems* **7**, 229–236 (1982).

[191] J. W. M. Stroet and R. Engmann: Manipulation of expression in a relational algebra. *Inform. Systems* **4**, 195–204 (1979).

[192] K. Subieta: Linguistic approach to database theory: DDL-s for hierarchical model. *Inform. Systems* **3**, 203–208 (1978).

[193] K. Subieta: Navigational facilities for relational data base. *Inform. Systems* **8**, 29–36 (1983).

[194] K.-T. Tai and A. L. Tharp: Computed chaining-A hybrid of direct chaining and open addressing. *Inform. Systems* **6**, 111–116 (1981).

[195] K. Tanaka, Y. Kambayashi and S. Yajima: Organization of quasi-consecutive retrieval files. *Inform. Systems* **4**, 23–33 (1979).

[196] T. Y. Tang, D. J. Buehrer and R. C. T. Lee: On the complexity of some multi-attribute file design problems. *Inform. Systems* **10**, 21–25 (1984).

[197] A. L. Tharp: Further refinement of the linear quotient hashing method. *Inform. Systems* **4**, 55–56 (1979).

[198] The CODASYL Data Description Language Committee: The CODASYL Schema Data Description Language Specifications through January 1978 and an appendix consisting of a draft specification of a Data Storage Description Language. *Inform. Systems* **3**, 247–320 (1978).

[199] The Stored-Data Definition and Translation Task Group of the CODASYL Systems Committee: Stored-Data Description and Data Translation: A Model and Language. *Inform. Systems* **2**, 95–148 (1977).

[200] D. Tsichritzis and A. Klug: The ANSI/X3/SPARC DBMS Framework Report of the Study Group on Database Management Systems. *Inform. Systems* **3**, 173–191 (1978).

[201] E. Vandijck: Towards a more familiar relational retrieval language. *Inform. Systems* **2**, 159–169 (1977).

[202] D. Vermeir and G. M. Nijssen: A procedure to define the object type structure of a conceptual schema. *Inform. Systems* **7**, 329–336 (1982).

[203] D. Vermeir: Semantic hierarchies and abstractions in conceptual schemata. *Inform. Systems* **8**, 117–124 (1983).

[204] A. I. Wasserman and C. J. Prenner: Toward a unified view of data base management, programming languages, and operating systems—A tutorial. *Inform. Systems* **4**, 119–126 (1979).

[205] W. Weber, W. Stucky and J. Karszt: Integrity checking in data base systems. *Inform. Systems* **8**, 125–136 (1983).

[206] K. Y. Whang: Property of separability in physical design of network model databases. *Inform. Systems* **9**, 000–000 (1984).

[207] H. K. T. wong: Semantics, dynamics tradeoff in relational database design. *Inform. Systems* **7**, 239–244 (1982).

[208] C.-S. Yang: Avoiding redundant record accesses in unsorted multilist file organizations. *Inform. Systems* **2**, 155–158 (1977).

[209] C.-S. Yang: A class of hybrid list file organizations. *Inform. Systems* **3**, 49–58 (1978).

[210] C.T. Yu and M. K. Siu: On models of information retrieval processes. *Inform. Systems* **4**, 205–218 (1979).